
â Genapol T 800 powder

Nonionic surfactant for chemical technological industry

Composition

Fatty alcohol polyglycol ether with 80 mol EO based on saturated C₁₆-C₁₈ alcohol

Viscosity (DIN 53015) at 70 °C

about 200 mPas

Product properties ^{*)}

Flash point (DIN/ISO 2592)

> 250 °C

Concentration

about 100 %

HLB value

about 19

Appearance at 20 °C

white powder

Compatibility

As a nonionic surface active substance Genapol T 800 powder can be combined with other nonionic, anionic and cationic products.

pH value (DIN EN 1262), 1% aqueous

about 6 – 8

Application

Wetting agent for powder coatings and concrete.
Emulsifier and dispersing agent for pigment pastes, paints, binders.

Solubility at 20 °C (1 % in water)

clear

Density (DIN 51757) at 70 °C

about 1.05 g/cm³

This information is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not therefore be construed as guaranteeing specific properties of the products described on their suitability for a particular application. Any existing industrial property rights must be observed. The quality of our products is guaranteed under our General Conditions of Sale.

^{*)} These characteristics are for guidance only and are not to be taken as product specifications. The tolerances are given in the product specification sheet. For further information on product properties, toxicological, ecological and safety data, please refer to the safety data sheet.

March 2006

®= registered trademark by Clariant

Page 1/1